SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

World Renowned Design Innovation & Manufacturing
of Precision Surgical Instruments

60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



NEURO SPINE
SURGICAL INSTRUMENTS


www.surgiments.com

SURGIMENTS®


Table of Content

Kerrison Rongeur	1-9
Bayonet Rongeur	10-12
IVD Rongeur	14-27
Bone Nibblers	28-41
Bone Cutter	42-43
Rib Shear	44
Osteotomes	45-47
Mallet	48-49
Periosteal Elevators	50
Bone Lever	51
Bone Elevator	52
Bone Gouge	53
Bone Graft Impactor	54
Spinal Elevator	55-56
Spinal Curettes	57-58
Cervical Curettes	59-60
Lumbar Curettes	61
Ring Curettes	62
Elevator Dissector	63
Drill Guide	64
Cervical Vertebral Spreader	65
Lamina Spreader	66
Dural Hooks	67
Ball End Probe	68
Nerve Root Retractors	69-70
Hand Retractors	71
Hohmann Retractors	72-73
Self Retaining Retractors	74-81
Micro Discectomy Retractors	82-86
Micro Bayonet Needle Holder	87
Micro Bayonet Forceps Holder	88
Wire Twisters, Pliers and Benders	89-91
Wire, Plate, Pin and Rod Cutters	92
Plate Benders	93
Measuring Instruments	94
Hand Drill and Drill Bits	95
Hudson Brace	96

The Anatomy of SURGIMENTS® Black Belt Kerrison Rongeurs



Ceramic Coated
- Smooth, wear-resistant ceramic coating increases the surface hardness v/s stainless steel extending the life of the cutting edge.
- Reduces intra opertaive glare.
- Optimal gliding.
- Stays sharp longer.



Bite Size
Bite size 1mm, 2mm, 3mm, 4mm, 5mm, 6mm
is etched on Kerrison



A bone ejector stops bone from
entering the jaw allowing for quick and
easy removal of bone fragments.

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT KERRISON LAMINECTOMY PUNCH



- 130˚ UP CUT
- Flat Thin Footplate
- With special Ceramic finish on surface

130° UPWARD

Bite size	15 cm / 6" Shaft	18 cm / 7" Shaft	20 cm / 8" Shaft
1 mm	**KP2001T**	**KP2009T**	**KP2017T**
1.5 mm	**KP2002T**	**KP2010T**	**KP2018T**
2 mm	**KP2003T**	**KP2011T**	**KP2019T**
2.5 mm	**KP2004T**	**KP2012T**	**KP2020T**
3 mm	**KP2005T**	**KP2013T**	**KP2021T**
4 mm	**KP2006T**	**KP2014T**	**KP2022T**
5 mm	**KP2007T**	**KP2015T**	**KP2023T**
6 mm	**KP2008T**	**KP2016T**	**KP2024T**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

KERRISON RONGEURS

BLACK BELT KERRISON LAMINECTOMY PUNCH



- 90° UP CUT
- Standard foot plate
- With special Ceramic finish on surface

90° UPWARD

Bite size	15 cm / 6" Shaft	18 cm / 7" Shaft	20 cm / 8" Shaft
1.5 mm	**KP2025S**	**KP2029S**	**KP2033S**
2 mm	**KP2026S**	**KP2030S**	**KP2034S**
3 mm	**KP2027S**	**KP2031S**	**KP2035S**
4 mm	**KP2028S**	**KP2032S**	**KP2036S**



90° DOWNWARD

2 mm	**KP2037S**	**KP2040S**	**KP2043S**
3 mm	**KP2038S**	**KP2041S**	**KP2044S**
4 mm	**KP2039S**	**KP2042S**	**KP2045S**

KERRISON LAMINECTOMY PUNCH




- 130° UPWARD Jaw angle
- Thin foot plate

130° UPWARD

Bite size	15 cm / 6" Shaft	18 cm / 7" Shaft	20 cm / 8" Shaft
1 mm	**KP2046T**	**KP2052T**	**KP2058T**
2 mm	**KP2047T**	**KP2053T**	**KP2059T**
3 mm	**KP2048T**	**KP2054T**	**KP2060T**
4 mm	**KP2049T**	**KP2055T**	**KP2061T**
5 mm	**KP2050T**	**KP2056T**	**KP2062T**
6 mm	**KP2051T**	**KP2057T**	**KP2063T**

KERRISON BONE PUNCH

KERRISON LAMINECTOMY PUNCH




- 90° UPWARD Jaw angle
- Standard foot plate

90° UPWARD

Bite Size	18 cm / 7” Shaft	20 cm / 8” Shaft
1 mm	**KP2064T**	**KP2070T**
2 mm	**KP2065T**	**KP2071T**
3 mm	**KP2066T**	**KP2072T**
4 mm	**KP2067T**	**KP2073T**
5 mm	**KP2068T**	**KP2074T**
6 mm	**KP2069T**	**KP2075T**

KERRISON RONGEUR

Kerrison Bone Punch



- 90° DOWNWARD Jaw angle
- Standard foot plate
- Thin foot plate can be made on request

90° DOWNWARD

Bite Size	18 cm / 7” Shaft	20 cm / 8” Shaft
1 mm	**KP2076S**	**KP2081S**
2 mm	**KP2077S**	**KP2082S**
3 mm	**KP2078S**	**KP2083S**
4 mm	**KP2079S**	**KP2084S**
5 mm	**KP2080S**	**KP2085S**



130° DOWNWARD

2 mm	**KP2086S**	**KP2090S**
3 mm	**KP2087S**	**KP2091S**
4 mm	**KP2088S**	**KP2092S**
5 mm	**KP2089S**	**KP2093S**

KERRISON RONGEUR

THIN FOOTPLATE KERRISON LAMINECTOMY PUNCH




- 130˚ UPWARD Jaw angle
- Thin footplate for Cervical surgery

130° UPWARD

Bite size	18 cm / 7” Shaft	20 cm / 8” Shaft
2 mm	**KP2094T**	**KP2099T**
3 mm	**KP2095T**	**KP2100T**
4 mm	**KP2096T**	**KP2101T**
5 mm	**KP2097T**	**KP2102T**
6 mm	**KP2098T**	**KP2103T**

KERRISON RONGEUR

WIDE OPENING KERRISON LAMINECTOMY PUNCH



- 130˚ UPWARD Jaw angle
- 16mm Wide opening jaw
- Wide opening jaws allowing the surgeon to envelope more bone

130° UPWARD

Bite size	20 cm / 8” Shaft
1 mm	**KP2104S**
2 mm	**KP2105S**
3 mm	**KP2106S**
4 mm	**KP2107S**
5 mm	**KP2108S**
6 mm	**KP2109S**

KERRISON RONGEUR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT LONG ANTERIOR KERRISON LAMINECTOMY PUNCH



- 130˚ UPWARD Jaw angle
- With special Ceramic coating on surface
- Extra long shaft for Thoracic approach

130° UPWARD

Bite size	28 cm /11” Shaft
2 mm	**KP2110S**
3 mm	**KP2111S**
4 mm	**KP2112S**
5 mm	**KP2113S**
6 mm	**KP2114S**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

KERRISON RONGEUR

BLACK BELT

SURGIMENTS® manufactured **BLACK BELT Bayonet-Kerrison punch** is a versatile time proven successful instrument known for its durablility, precision craftmanship and its clean & consistent cuts.



Standard Footplate



Thin Footplate

Available in the following sizes

BITE SIZE	WORKING LENGTH				
	15.25 cm / 6 "	17.80 cm / 7 "	20.30 cm / 8"	22.85 cm / 9"	25.40 cm / 10"
1.5 mm	KP2115B	KP2122B	KP2129B	KP2136B	
2 mm	KP2116B	KP2123B	KP2130B	KP2137B	
2.5 mm	KP2117B	KP2124B	KP2131B	KP2138B	
3 mm	KP2118B	KP2125B	KP2132B	KP2139B	
3.5mm	KP2119B	KP2126B	KP2133B	KP2140B	
4 mm		KP2120B	KP2127B	KP2134B	KP2141B
5 mm		KP2121B	KP2128B	KP2135B	KP2142B

Available in the following materials




Premium Quality Stainless Steel | Ceramic | Titanium

KERRISON RONGEUR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT

SURGIMENTS® manufactured **BLACK BELT Foraminotomy-Kerrison punch** is a Hingeless, specialized instrument designed to perform a lamino foraminotomy.





Linear Drive ControlTechnology

Available in the following sizes

BITE SIZE	WORKING LENGTH		
	20.30 cm / 8"	22.85 cm / 9"	25.40 cm / 10"
2 mm	KP2143F	KP2150F	KP2157F
2.5 mm	KP2144F	KP2151F	KP2158F
3 mm	KP2145F	KP2152F	KP2159F
3.5 mm	KP2146F	KP2153F	KP2160F
4 mm	KP2147F	KP2154F	KP2161F
5 mm	KP2148F	KP2155F	KP2162F
6 mm	KP2149F	KP2156F	KP2163F

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

KERRISON RONGEUR

FERRIS SMITH KERRISON LAMINECTOMY PUNCH




- 130˚ UPWARD Jaw angle
- Large comfortable ring handle

130° UPWARD

Bite size	18 cm / 7” Shaft	20 cm / 8” Shaft
2 mm	**KP2164L**	**KP2169L**
3 mm	**KP2165L**	**KP2170L**
4 mm	**KP2166L**	**KP2171L**
5 mm	**KP2167L**	**KP2172L**
6 mm	**KP2168L**	**KP2173L**

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BAYONET IVD RONGEURS



Cushings

Casper

Claw

Wiel Blakesly

Alligator Graper

Tip size	Type	Description	Titanium	Ceramic	Stainless Steel
0.6 mm	straight tip	16 cm / 6 1/4 "	IR6001B	IR8001B	IR2001B
		18.5 cm / 7 1/4 "	IR6002B	IR8002B	IR2002B
0.8 mm	straight tip	16 cm / 6 1/4 "	IR6003B	IR8003B	IR2003B
		18.5 cm / 7 1/4 "	IR6004B	IR8004B	IR2004B
0.8 mm	straight tip	21 cm / 8 1/4 "	IR6005B	IR8005B	IR2005B
		23 cm / 9 "	IR6006B	IR8006B	IR2006B
1.0 mm	straight tip	16 cm / 6 1/4 "	IR6007B	IR8007B	IR2007B
		18.5 cm / 7 1/4 "	IR6008B	IR8008B	IR2008B
1.0 mm	straight tip	21 cm / 8 1/4 "	IR6009B	IR8009B	IR2009B
		23 cm / 9 "	IR6010B	IR8010B	IR2010B
1.5 mm	straight tip	16 cm / 6 1/4 "	IR6011B	IR8011B	IR2011B
		18.5 cm / 7 1/4 "	IR6012B	IR8012B	IR2012B
1.5 mm	straight tip	21 cm / 8 1/4 "	IR6013B	IR8013B	IR2013B
		23 cm / 9 "	IR6014B	IR8014B	IR2014B
2.0mm above customization	straight tip	over all length can be custom made as per requirement	Please specify material on firm order		

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD RONGEURS - CERAMIC

BLACK BELT INTERVERTEBRAL DISC RONGEUR



Cushing


- With special Ceramic coating on surface
- Improved jaws for firm grip
- Large comfortable ring handle

Bite Size	Shaft Length	Straight	Up	Down
1.5 mm x 10 mm	13 cm / 5”	**IR2015S**	**IR2018U**	**IR2021D**
	15 cm / 6”	**IR2016S**	**IR2019U**	**IR2022D**
	18 cm / 7”	**IR2017S**	**IR2020U**	**IR2023D**
2 mm x 10 mm	13 cm / 5”	**IR2024S**	**IR2027U**	**IR2030D**
	15 cm / 6”	**IR2025S**	**IR2028U**	**IR2031D**
	18 cm / 7”	**IR2026S**	**IR2029U**	**IR2032D**
3 mm x 10 mm	13 cm / 5”	**IR2033S**	**IR2036U**	**IR2039D**
	15 cm / 6”	**IR2034S**	**IR2037U**	**IR2040D**
	18 cm / 7”	**IR2035S**	**IR2038U**	**IR2041D**

IVD RONGEURS - CERAMIC



SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT INTERVERTEBRAL DISC RONGEUR



Ferris-smith

- With special Ceramic coating on surface
- Improved jaws for firm grip

Bite Size	Shaft Length	Straight 	Up 
1 mm	18 cm / 7”	**IR2042S**	**IR2051U**
1.5 mm	18 cm / 7"	**IR2043S**	**IR2052U**
2 mm	18 cm / 7”	**IR2044S**	**IR2053U**
3 mm x 10 mm	18 cm / 7”	**IR2045S**	**IR2054U**
4 mm x 10 mm	18 cm / 7”	**IR2046S**	**IR2055U**
5 mm x 10 mm	18 cm / 7”	**IR2047S**	**IR2056U**
5.5 mm	21 cm / 8 1/4"	**IR2048S**	**IR2057U**
5.3 mm	25.5 cm / 10"	**IR2049S**	**IR2058U**
6 mm	25.5 cm / 10”	**IR2050S**	**IR2059U**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD RONGEURS - CERAMIC



SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT INTERVERTEBRAL DISC RONGEUR



Ferris-smith

- With special Ceramic coating on surface
- Improved jaws for firm grip

Bite Size	Shaft Length	Straight	Up	Down
				
1.5 mm x 10 mm	14 cm / 5 1/2”	**IR2060S**	**IR2069U**	**IR2078D**
1.5 mm x 12 mm	16 cm / 6 1/4”	**IR2061S**	**IR2070U**	**IR2079D**
2 mm x 12 mm	18 cm / 7”	**IR2062S**	**IR2071U**	**IR2080D**
2.5 mm x 10 mm	16 cm / 6 1/4”	**IR2063S**	**IR2072U**	**IR2081D**
2.5 mm x 12 mm	18 cm / 7”	**IR2064S**	**IR2073U**	**IR2082D**
3 mm x 12 mm	16 cm / 6 1/4”	**IR2065S**	**IR2074U**	**IR2083D**
4 mm x 14 mm	18 cm / 7”	**IR2066S**	**IR2075U**	**IR2084D**
5 mm x 14 mm	16 cm / 6 1/4”	**IR2067S**	**IR2076U**	**IR2085D**
6 mm x 14 mm	18 cm / 7”	**IR2068S**	**IR2077U**	**IR2086D**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD RONGEURS - CERAMIC




SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT INTERVERTEBRAL DISC RONGEUR



Ferris-smith

- With special Ceramic coating on surface
- Improved jaw for firm grip

Bite Size	Shaft Length	Straight	Up	Down
				
1.5 mm x 10 mm	18 cm / 7	**IR2087S**	**IR2096U**	**IR2105D**
2 mm x 10 mm	20 cm / 8"	**IR2088S**	**IR2097U**	**IR2106D**
2.5 mm x 12 mm	30 cm / 11"	**IR2089S**	**IR2098U**	**IR2107D**
3 mm x 10 mm	20 cm / 8"	**IR2090S**	**IR2099U**	**IR2108D**
3.5 mm x 12 mm	30 cm / 11"	**IR2091S**	**IR2100U**	**IR2109D**
4 mm x 10 mm	20 cm / 8"	**IR2092S**	**IR2101U**	**IR2110D**
4 mm x 14 mm	30 cm / 11"	**IR2093S**	**IR2102U**	**IR2111D**
5 mm x 14 mm	20 cm / 8"	**IR2094S**	**IR2103U**	**IR2112D**
6 mm x 16 mm	20 cm / 8"	**IR2095S**	**IR2104U**	**IR2113D**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

INTERVERTEBRAL DISC RONGEUR



STRAIGHT JAW

Bite size	15 cm / 6” Shaft	18 cm / 7” Shaft	20 cm / 8” Shaft
1.5 mm	**IR2114S**	**IR2121S**	**IR2128S**
2 mm	**IR2115S**	**IR2122S**	**IR2129S**
3 mm	**IR2116S**	**IR2123S**	**IR2130S**
4 mm	**IR2117S**	**IR2124S**	**IR2131S**
5 mm	**IR2118S**	**IR2125S**	**IR2132S**
6 mm	**IR2119S**	**IR2126S**	**IR2133S**
7 mm	**IR2120S**	**IR2127S**	**IR2134S**

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

INTERVERTEBRAL DISC RONGEUR



40° Angled Upward Jaw

Bite size	15 cm / 6” Shaft	18 cm / 7” Shaft	20 cm / 8” Shaft
1.5 mm	**IR2135A**	**IR2142A**	**IR2149A**
2 mm	**IR2136A**	**IR2143A**	**IR2150A**
3 mm	**IR2137A**	**IR2144A**	**IR2151A**
4 mm	**IR2138A**	**IR2145A**	**IR2152A**
5 mm	**IR2139A**	**IR2146A**	**IR2153A**
6 mm	**IR2140A**	**IR2147A**	**IR2154A**
7 mm	**IR2141A**	**IR2148A**	**IR2155A**

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

INTERVERTEBRAL DISC RONGEUR



40° Angled Downward Jaw




Bite size	15 cm / 6” Shaft	18 cm / 7” Shaft	20 cm / 8” Shaft
1.5 mm	**IR2156A**	**IR2163A**	**IR2170A**
2 mm	**IR2157A**	**IR2164A**	**IR2171A**
3 mm	**IR2158A**	**IR2165A**	**IR2172A**
4 mm	**IR2159A**	**IR2166A**	**IR2173A**
5 mm	**IR2160A**	**IR2167A**	**IR2174A**
6 mm	**IR2161A**	**IR2168A**	**IR2175A**
7 mm	**IR2162A**	**IR2169A**	**IR2176A**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

CASPAR TOOTHED DISC RONGEUR



- Serrated and fenestrated jaws


Bite Size	Shaft Length	Straight 	Up 	Down 
1.5 mm x 10 mm	14 cm / 5 1/2"	**IR2177S**	**IR2186U**	**IR2195D**
1.5 mm x 12 mm	16 cm / 6 1/4"	**IR2178S**	**IR2187U**	**IR2196D**
2 mm x 12 mm	18 cm / 7"	**IR2179S**	**IR2188U**	**IR2197D**
2.5 mm x 10 mm	16 cm / 6 1/4"	**IR2180S**	**IR2189U**	**IR2198D**
2.5 mm x 12 mm	18 cm / 7"	**IR2181S**	**IR2190U**	**IR2199D**
3 mm x 12 mm	16 cm / 6 1/4"	**IR2182S**	**IR2191U**	**IR2200D**
4 mm x 14 mm	18 cm / 7"	**IR2183S**	**IR2192U**	**IR2201D**
5 mm x 14 mm	16 cm / 6 1/4"	**IR2184S**	**IR2193U**	**IR2202D**
6 mm x 14 mm	18 cm / 7"	**IR2185S**	**IR2194U**	**IR2203D**

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED


SCHLESINGER TOOTHED RONGEUR




Straight Jaw



2 mm



3 mm



4 mm

Bite size	15 cm / 6” Shaft	18 cm / 7” Shaft
2 mm	**IR2204S**	**IR2205S**
3 mm	**IR2206S**	**IR2207S**
4 mm	**IR2208S**	**IR2209S**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD RONGEURS

WILLIAMS DISCECTOMY RONGEUR



Single toothed cup 1mm bite

14 cm / 5 1/2”	23 cm / 9”
IR2210S	**IR2211S**

‘PEA POD’ DISC RONGEUR



- Short 10mm length jaw

Bite Size	15 cm / 6”	13 cm / 5 1/4”
2 mm	**IR2212S**	**IR2213S**
3mm	**IR2214S**	**IR2215S**
4 mm	**IR2216S**	**IR2217S**

Extra fine pattern 5mm length jaws

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BECK DISC RONGEUR



- 13cm/51/4" Shaft
- 2mm bite size

IR2220S

MUNICH GRASPING FORCEPS



- 18cm/7" Shaft length
- 1x2 teeth
- Straight jaw

Toothed Serrated Jaw

IR2221S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD MICRO RONGEURS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

SURGIMENTS MICRO RONGEUR



- 15cm/6” working length
- Straight 6mm jaw

1.2mm

IR2222S

NICOLA MICRO CUPPED BIOPSY FORCEPS

- 16.5 cm / 6 1/2”

IR2223S

Above models available in ceramic black finish upon request

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

www.surgiments.com

IVD ENDOSCOPIC RONGEURS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



FERRIS-SMITH ENDOSCOPIC IVD RONGEURS

Bite Size	Shaft	Straight	Up	Serrated Straight
2.5 mm x 10 mm	27 cm / 10 3/4”	**IR2224S**	**IR2225U**	**IR2226S**
4 mm x 10 mm	27 cm / 10 3/4”	**IR2227S**	**IR2228U**	**IR2229S**
8 mm x 10 mm	27 cm / 10 3/4”	**IR2230S**	**IR2231U**	**IR2232S**

ANTERIOR LONG RONGEUR



- 35cm/131/2” Shaft
- Extra long length shaft for deeper areas

Bite Size	Straight	Upward
2.4 mm	**IR2233S**	
4 mm	**IR2234S**	**IR2237S**
6 mm	**IR2235S**	
8 mm	**IR2236S**	**IR2238S**


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

IVD HEAVY DUTY RONGEURS

FERRIS-SMITH DISC RONGEUR




Ring handle



STRAIGHT JAW

Bite size	18 cm / 7” Shaft	20 cm / 8” Shaft
2 mm	**IR2239S**	**IR2240S**
3 mm	**IR2241S**	**IR2242S**
4 mm	**IR2243S**	**IR2244S**
5 mm	**IR2245S**	**IR2246S**




40° UPWARD JAW

Bite size	18 cm / 7” Shaft	20 cm / 8” Shaft
2 mm	**IR2247S**	**IR2248S**
3 mm	**IR2249S**	**IR2250S**
4 mm	**IR2251S**	**IR2252S**
5 mm	**IR2253S**	**IR2254S**

BONE NIBBLERS - SINGLE ACTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LEMPERT BONE NIBBLER



- Single Action
- 19cm/71/2”

3mm Bite

BR2001S

LUER BONE NIBBLER



- Single Action
- 18 cm / 7”

Straight
8 mm Bite

BR2002S

Curved
8 mm Bite


BR2003S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED


ADSONS BONE NIBBLER

- Single Action
- 20 cm / 8"




7 mm Bite

BR2004S



PENNYBACKER BONE NIBBLER

- Single Action
- 20 cm / 8"



4 mm Bite

BR2005S




BONE NIBBLERS - SINGLE ACTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Northfields Bone Nibbler

- Single Action
- 20 cm / 8”






10 mm Bite

BR2006S

Pennybacker Bone Nibbler

- Single Action
- 21 cm / 8 1/4”






8 mm Bite

BR2007S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

Zielke Intervertebral Rongeur

- Angled Parallel Jaws






Bite Size	21 cm / 8 1/4”	25 cm / 9 3/4”
3 mm	**BR2008A**	**BR2009A**
5 mm	**BR2010A**	**BR2011A**

Matzen Intervertebral Rongeur

- 20 cm / 8”
- An gled Jaws



5 mm

BR2012A



BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERAMIC BONE NIBBLERS SERIES

BLACK BELT



1.5 mm	**BR2013C**
2 mm	**BR2014C**
3 mm	**BR2015C**
4 mm	**BR2016C**

BÖHLER
15 cm / 6”



2 mm	**BR2017C**
3 mm	**BR2018C**

BÖHLER
15 cm / 6”



3 mm

BR2019A

BEYER
18 cm / 7”



4 mm

BR2020A

ZAUFAL-JANSEN
18 cm / 7”



5 mm

BR2021A

RUSKIN
18 cm / 7”

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERAMIC BONE NIBBLERS SERIES


BLACK BELT





1.5 mm	**BR2022C**
2 mm	**BR2023C**
3 mm	**BR2024C**

MARQUARDT
20 cm / 8”



7 mm
BR2025C

RUSKIN
23 cm / 9”

BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERAMIC BONE NIBBLERS SERIES

BLACK BELT





3 mm	**BR2026C**
4 mm	**BR2027C**
5 mm	**BR2028C**



3 mm	**BR2029C**
4 mm	**BR2030C**
5 mm	**BR2031C**

SMITH-PETERSON
24 cm 9 1/2”



10 mm
BR2032S

10 mm
BR2033C

LUER-STILLE
27 cm / 10 3/4”

Quality Commitment
60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED


CERAMIC BONE NIBBLERS SERIES

BLACK BELT



JUMBO - LUER
40 cm / 15 3/4”

3 mm	**BR2034A**
5 mm	**BR2035A**
8 mm	**BR2036A**



STILLE-RUSKIN
23 cm 9”



8 mm
BR2037A



LUER-STILLE
27 cm / 10 3/4”

10 mm
BR2038A



SEMB
23 cm / 9”

17 mm
BR2039A

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERAMIC BONE NIBBLERS SERIES

BLACK BELT



LEKSELL
23 cm 9”

2 mm	**BR2040A**
3 mm	**BR2041A**
4 mm	**BR2042A**
6 mm	**BR2043A**
8 mm	**BR2044A**



LEKSELL
23 cm 9”

2 mm	**BR2045A**
3 mm	**BR2046A**
4 mm	**BR2047A**
6 mm	**BR2048A**
8 mm	**BR2049A**



STILLE
23 cm 9”

2 mm	**BR2050A**
3 mm	**BR2051A**
4 mm	**BR2052A**
6 mm	**BR2053A**
8 mm	**BR2054A**


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE NIBBLERS - DOUBLE ACTION

BEYER BONE NIBBLER

- Curved Double Action
- 18 cm / 7”






4 mm

BR2055A

JANSEN BONE NIBBLER

- Curved Double Action
- 18 cm / 7”





5 mm

BR2056A


BONE NIBBLERS - DOUBLE ACTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

MARQUARDT BONE NIBBLER

- Curved Double Action
- 20 cm / 8"






4 mm

BR2062A

SMITH-PETERSON BONE NIBBLER

- Double Action
- 24 cm / 9 1/2”





Straight Curved

Bite Size	Straight	Curved
3 mm	**BR2063S**	**BR2067C**
4 mm	**BR2064S**	**BR2068C**
5 mm	**BR2065S**	**BR2069C**
6 mm	**BR2066S**	**BR2070C**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


BONE NIBBLERS - DOUBLE ACTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

STILLE-LUER BONE NIBBLER

- Double Action
- 22 cm / 8 3/4”





Straight
10 mm Bite

BR2071S


Curved
10 mm Bite

BR2072C

GUNDZ STILLE-LUER BONE NIBBLER

- Double Action
- 26cm/101/4”





Straight
17 mm Bite

BR2073S



Curved
17 mm Bite

BR2074C

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE NIBBLERS - DOUBLE ACTION


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LEKSELL BONE NIBBLER

- Double Action Angled
- 24 cm / 9 1/2”



Bite Size	Angled Jaw
3 mm	**BR2075A**
5 mm	**BR2076A**
8 mm	**BR2077A**



ECHLIN DUCKBILL NIBBLER

- Double Action
- 23cm/9”



BR2078A **BR2079A** **BR2080A**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


BONE NIBBLERS - DOUBLE ACTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LONG ANTERIOR LEKSELL BONE NIBBLER

- Double Action
- 30 cm / 12”






5 mm Bite — **BR2081S**

8 mm Bite — **BR2082S**

SYPERT BONE NIBBLER

- Double Action - very long
- 36 cm / 14 1/4”





5 mm Bite — **BR2083S**

8 mm Bite — **BR2084S**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


BONE NIBBLERS - DOUBLE ACTION - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERAMIC BONE CUTTERS SERIES

BLACK BELT





Straight **BC2001S**

Angled **BC2002A**

BÖHLER
16 cm 6”





RUSKIN-LISTON
19 cm 7”



Straight **BC2003S**



Angled **BC2004A**



Straight
23 cm / 9” **BC2005S**
27 cm / 10 1/2” **BC2006S**

LISTON



Angled
23 cm / 9” **BC2007A**
27 cm / 10 1/2” **BC2008A**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

MCINDOE BONE CUTTERS

- 18cm/7”



BC2009S



STILLE-LISTON BONE CUTTERS

- 27cm/103/4”



Straight

BC2010S



Angled

BC2011A



LISTON-KEY-HORSLEY BONE CUTTERS

- 27 cm / 10 3/4”




BC2012A



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

TUDOR EDWARDS/RIB HOLDER AND CUTTER

- 24 cm / 9 1/2”
- For cutting ribs



BC2013S

STILLE-HORSLEY BONE CUTTING FORCEPS




Angled Shear 24 cm / 9 3/8”

BC2014A

TUDOR EDWARDS/RIB HOLDER AND CUTTER

- 24 cm / 9 1/2”
- For cutting ribs



BC2013S

STILLE-HORSLEY BONE CUTTING FORCEPS



Angled Shear 24 cm / 9 3/8”


BC2014A

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LEXER HYLUM HANDLE OSTEOTOME

- 22 cm / 8 3/4"






	Width
OS2013S	5 mm
OS2014S	10 mm
OS2015S	15 mm
OS2016S	20 mm
OS2017S	25 mm
OS2018S	30 mm

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

STILLE OSTEOTOME

- 20 cm / 8”





	Width
OS2019S	6 mm
OS2020S	8 mm
OS2021S	10 mm
OS2022S	12 mm
OS2023S	15 mm
OS2024S	20 mm
OS2025S	25 mm
OS2026S	30 mm

MALLET

TOFFEE MALLET

- 19 cm / 7 1/2”
- Head size 22mm Ø
- Weight 165g / 6oz

ML2001S



LONDON SPLINT MALLET

- 18 cm / 7"
- Head size 30mm Ø
- Weight 450g / 16.2oz

ML2002S



MALLET

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

TOFFEE MALLET

- 19 cm / 7 1/2”
- Stainless steel head
- Head size 40mm Ø
- Weight 1020g / 36oz

ML2003S



MALLET WITH HYLUM HANDLE

- 23cm/9”
- Head size 35mm Ø
- Weight 550g/20oz

ML2004S



OMBREDANNE MALLET

- 24 cm / 9 1/2”
- Head size 40mm Ø
- Weight 550g / 20oz

ML2005S



COLLIN MALLET

Solid stainless steel.

ML2006S



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

ADSON PERIOSTEAL ELEVATOR

- 16 cm / 6 1/4"
- Curved blunt



	Width
ER2001C	5 mm
ER2002C	7 mm

PENNYBACKER PERIOSTEAL ELEVATOR

- 16 cm / 6 1/4"
- Curved sharp



	Width
ER2003C	4 mm
ER2004C	6 mm
ER2005C	8 mm

FARABEUF RUGINE ELEVATOR

- 15 cm / 6"



Straight	Width
ER2006S	12 mm

Curved	Width
ER2007C	12 mm


BONE LEVER

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED


BONE RASPATORY WITH HYLUM HANDLE

- 19 cm / 7 1/2”





Straight	Width
ER2008S	3 mm
ER2009S	6 mm



Curved	Width
ER2010C	3 mm
ER2011C	6 mm

TRETHOWAN BONE LEVER

- 22.5 cm / 8 1/2”



ER2012S

LANES BONE LEVER

- 26 cm / 10 1/4”



ER2013S

FAGGE BONE LEVER

- 27.5 cm / 10 3/4”



ER2014S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE ELEVATOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BRISTOWS BONE ELEVATOR

- 23 cm / 9"
- Curved sharp



	Width
ER2015C	10 mm

HOHMANNS BONE ELEVATOR

- 24 cm / 9 1/4"



	Width
ER2016C	8 mm
ER2017C	18 mm
ER2018C	43 mm

INFERIOR HOHMANN HIP RETRACTOR

- 40cm/16"
- 22mm width

ER2019C



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BONE GOUGE

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

ZIELKE GOUGE

- 23 cm / 9"



Curved	Width
GO2001C	6 mm
GO2002C	9 mm



S-Shaped	Width
GO2003S	6 mm
GO2004S	9 mm

CAPENER LAMINA GOUGE

- 23cm/9”
- Cranked Shaft



	Width
GO2005C	6 mm
GO2006C	8 mm
GO2007C	11 mm
GO2008C	16 mm

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


BONE GRAFT IMPACTOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CERVICAL BONE GRAFT IMPACTOR 90° OFFSET

- 22 cm / 8 1/2”





6mm x 12mm Tip

BI2001S



3.5mm x 6mm Tip


18 cm Length

BI2002S

CAPENER LAMINA GOUGE

- 22 cm / 8 1/2”







7mm x 12mm Tip



BI2003S



10mm x 13mm Tip




BI2004S

ER2024S **ER2025S**

ANTERIOR BONE GRAFT IMPACTOR - HYLUM HANDLE


- 34 cm / 13 1/2”





9 x 16mm Tip

BI2005S



9 x 23mm Tip

BI2006S


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SPINAL ELEVATOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

COBB SPINAL ELEVATOR






- 31cm/12 1/4" overall length
- 18cm/7" handle length

ER2020S 10mm | **ER2021S** 13mm | **ER2022S** 19mm

HARRINGTON COBB SPINAL ELEVATOR



- 30.5cm/12" overall lenth




ER2023S 10mm | **ER2024S** 13mm | **ER2025S** 19mm

COBB SPINAL ELEVATOR EXTRA LONG HANDLE



- 34cm /13 1/2" overall lenth
- 22cm / 83/4" handle length



ER2026S 10mm | **ER2027S** 15mm | **ER2028S** 20mm | **ER2029S** 25mm | **ER2030S** 30mm

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


SPINAL ELEVATOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

COBB ELEVATOR



- 32cm / 12 1/2" overall length
- 20cm / 8" handle length




ER2031S 10mm | **ER2032S** 15mm | **ER2033S** 20mm | **ER2034S** 25mm | **ER2035S** 30mm

LONG ANTERIOR COMFORT COBB ELEVATOR



- 47cm / 18 1/2"



ER2036S 10mm | **ER2037S** 15mm | **ER2038S** 20mm | **ER2039S** 25mm | **ER2040S** 30mm

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SPINAL CURETTES

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LEMPERT CURETTE


- 21 cm / 8 1/4”





Straight	Cup Size
CU2001S	00000
CU2002S	0000
CU2003S	000
CU2004S	00
CU2005S	0
CU2006S	1

Angled	Cup Size
CU2007A	00000
CU2008A	0000
CU2009A	000
CU2010A	00
CU2011A	0
CU2012A	1



BRUNS CURETTE


- 23 cm / 9”





Straight	Cup Size
CU2013S	000
CU2014S	00
CU2015S	0
CU2016S	1
CU2017S	2
CU2018S	3

Angled	Cup Size
CU2019A	000
CU2020A	00
CU2021A	0
CU2022A	1
CU2023A	2
CU2024A	3




Quality Commitment
60+ YEARS
MANUFACTURING
SURGICAL INSTRUMENTS

SPINAL CURETTES

HYLUM HANDLE MICRO CURETTE

- 27 cm / 10"








Straight	Cup Size
CU2025S	0000
CU2026S	000
CU2027S	00
CU2028S	0
CU2029S	1


Angled	Cup Size
CU2030A	0000
CU2031A	000
CU2032A	00
CU2033A	0
CU2034A	1



DOUBLE HANDLED EXTRA LARGE CURETTE

- 38 cm / 15" overall length
- 21 cm / 8 3/4" handle length








Straight	Cup Size
CU2035S	7 mm
CU2036S	9 mm
CU2037S	11 mm
CU2038S	13 mm
CU2039S	15 mm

Angled	Cup Size
CU2040A	7 mm
CU2041A	9 mm
CU2042A	11 mm
CU2043A	13 mm
CU2044A	15 mm



CERVICAL CURETTES

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

HOLLOW HANDLE CERVICAL CURETTES

- 26 cm / 10 1/4" overall length
- 13 cm / 5 1/4" handle length
- Color coded handles






Light-Grip Cervical Curette Rack
Holds 12 Cervical Curettes

NRH 001 - PC

Cup Size	Straight	Up	Down
6 - 0	**CU2045S**	**CU2057U**	**CU2069D**
5 - 0	**CU2046S**	**CU2058U**	**CU2070D**
4 - 0	**CU2047S**	**CU2059U**	**CU2071D**
3 - 0	**CU2048S**	**CU2060U**	**CU2072D**
2 - 0	**CU2049S**	**CU2061U**	**CU2073D**
0	**CU2050S**	**CU2062U**	**CU2074D**
1	**CU2051S**	**CU2063U**	**CU2075D**
2	**CU2052S**	**CU2064U**	**CU2076D**
3	**CU2053S**	**CU2065U**	**CU2077D**
4	**CU2054S**	**CU2066U**	**CU2078D**
5	**CU2055S**	**CU2067U**	**CU2079D**
6	**CU2056S**	**CU2068U**	**CU2080D**



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


CERVICAL CURETTES


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

SOLID HANDLE CERVICAL CURETTES

- 29 cm / 11 1/2" overall length
- 20cm handle length








Straight	Cup Size
CU2081S	6.5 mm
CU2082S	8.5 mm
CU2083S	11 mm
CU2084S	13 mm
CU2085S	15 mm


Angled	Cup Size
CU2086A	6.5 mm
CU2087A	8.5 mm
CU2088A	11 mm
CU2089A	13 mm
CU2090A	15 mm




LONG ANTERIOR CURETTE

- 38cm/15" overall length








Straight	Cup Size
CU2091S	4.3 mm
CU2092S	7 mm
CU2093S	8 mm

Angled	Cup Size
CU2094A	4.3 mm
CU2095A	7 mm
CU2096A	8 mm



Quality Commitment
60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


LUMBAR CURETTES

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

HOLLOW HANDLE LUMBAR CURETTES

- 34 cm / 13 1/2" overall length
- 20 cm / 8" handle length
- Color coded handles








Light-Grip Lumbar Curette Rack
Holds 12 Cervical Curettes

NRH 002 - PC

Cup Size	Straight	Up	Down
6 - 0	**CU2097S**	**CU2109U**	**CU2121D**
5 - 0	**CU2098S**	**CU2110U**	**CU2122D**
4 - 0	**CU2099S**	**CU2111U**	**CU2123D**
3 - 0	**CU2100S**	**CU2112U**	**CU2124D**
2 - 0	**CU2101S**	**CU2113U**	**CU2125D**
0	**CU2102S**	**CU2114U**	**CU2126D**
1	**CU2103S**	**CU2115U**	**CU2127D**
2	**CU2104S**	**CU2116U**	**CU2128D**
3	**CU2105S**	**CU2117U**	**CU2129D**
4	**CU2106S**	**CU2118U**	**CU2130D**
5	**CU2107S**	**CU2119U**	**CU2131D**
6	**CU2108S**	**CU2120U**	**CU2132D**



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

RING CURETTE

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CONES RING CURETTE


- 23 cm / 9”





Straight	Ring Size
CU2133S	3 mm
CU2134S	6 mm
CU2135S	8 mm

Angled	Ring Size
CU2136S	3 mm
CU2137S	6 mm
CU2138S	8 mm



ZIELKE CURETTE

- 21 cm / 8 1/4”



Straight	Size
CU2139S	8 mm
CU2140S	11 mm


Angled	Size
CU2141S	8 mm
CU2142S	11 mm

VOLKMANN DOUBLE ENDED CURETTE

- 22 cm / 8 3/4”



	Size
CU2143S	Small
CU2144S	Medium
CU2145S	Large



VOLKMANN BONE CURETTE



Cat Code	Tip Size (#)	Tip Size (mm)	Length
CU2146S	0	2.8	6 3/4"
CU2147S	0	3.6	6 3/4"
CU2148S	0	4.4	6 3/4"
CU2149S	0	5.2	6 3/4"
CU2150S	1	6.8	6 3/4"

Cat Code	Tip Size (#)	Tip Size (mm)	Length
CU2151S	2	8.5	6 3/4"
CU2152S	3	10.0	6 3/4"
CU2153S	4	11.5	6 3/4"
CU2154S	5	13.0	6 3/4"
CU2155S	6	14.5	6 3/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

ELEVATOR DISSECTOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

SWEDISH DISSECTOR

- 18 cm / 7"



ED2001S

HOWARTH ELEVATOR

- 21.5 cm / 8 1/2"



ED2002S

MACDONALD ELEVATOR/DISSECTOR



Size

ED2003S	18 cm / 7"
ED2004S	23 cm / 9"

WATSON CHEYNE DISSECTOR

Size

ED2005S	18 cm / 7"
ED2006S	23 cm / 9"
ED2007S	25.5 cm / 10"

FREERS ELEVATOR / DISSECTOR

- 18.5 cm / 7 1/4"



ED2008S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

ELEVATOR DISSECTOR


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

PENFIELD DISSECTOR - Double Ended

- 18 cm / 7”, #1 **ED2009S**



- 20 cm / 8”, #2 **ED2010S**
- 20 cm / 8”, #3 **ED2011S**



PENFIELD DISSECTOR

- 20 cm / 8”, #4 **ED2012S**



DRILL GUIDE

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Drill Guide



DR2001L Left

DR2002R Right

Screw Driver



DR2003H


Distraction Drill



- For pre-drilling pilot holes for screws with drill guide 2mm

DR2004S

Distraction Screws



- 7cm post length
- Sterile packed

	Thread length
DR2005S	12mm
DR2006S	14mm
DR2007S	16mm


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

CERVICAL VERTEBRAL SPREADER

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Cervical Vertebral Spreader

- 13 cm / 5 1/4”
- 3 mm tip



Depth	
SP2001S	70 mm
SP2002S	95 mm

Cloward Cervical Spreader

- 17 cm / 6 3/4”
- Max opening 20 mm

SP2003S



Cloward Lamina Spreader

- 15 cm / 6”

SP2004S



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

LAMINA SPREADER

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BABY INGE LAMINA SPREADER

- 18 cm / 7"




SP2005S



INGE LAMINA SPREADER

- 24 cm / 9 1/2", Max opening 50mm




SP2006S



LONG ANTERIOR LAMINA SPREADER

- 28cm/11"
- Max opening 40mm



SP2007S



DURAL HOOKS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

ADSON DURAL HOOK

- 19 cm / 7 1/2”

Sharp	Blunt
HO2001S	**HO2002B**



TITANIUM MICRO HOOKS

- 19 cm / 7 1/2”





90° Semi-sharp

HO6003A



90° Blunt

HO6004A

CRILE BLUNT HOOK

- 20 cm / 8”
- 7 mm tip length



HO2005B

EMMET SHARP HOOK

- 22 cm / 8 3/4”
- 5 mm tip length



HO2006S

CUSHING BLUNT HOOK

- 28 cm / 11”
- 4 mm tip length



HO2007B

ADSON HOOK

- 20cm/8”
- 5mm tip length





Sharp

HO2008S



Blunt

HO2009B

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

BALL END PROBE

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

MCCULLOCH PROBE WITH BALL END

- 23.5cm/91/4"





4 mm Tip

PB2001S



6 mm Tip

PB2002S

MANIPULATION HOOK

- 23.5cm/91/4"
- 4mm tip length



HO2010S

BLALOCK BLUNT HOOK

- 24cm/91/2"
- 5mm tip length



HO2011S

CASPAR EXPLORATION PROBE

- 24.5cm/93/4"
- Insulated shaft






PB2003S



PB2004S



PB2005S



PB2006S

KRAYENBUHL NERVE AND VESSEL HOOK

- 18.5 cm / 7 1/4"





HO2012S



HO2013S



HO2014S



HO2015S

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

NERVE ROOT RETRACTOR

- 21cm/81/4”



NR2001B

KRAYENBUHL NERVE ROOT RETRACTOR

- Double bayonet
- 21cm/81/4”



NR2002B	21 cm / 8 1/4”
NR2003B	24 cm / 9 1/2”

O’CONNELL NERVE ROOT RETRACTOR

- 21.5cm/81/2”

NR2004S



LOVE NERVE ROOT RETRACTOR

- 22cm/83/4”
- 5mm tip width



NR2005S	Straight
NR2006A	25° Angled
NR2007A	90° Angled


NERVE ROOT SUCTION RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

SHEPHERD SUCTION NERVE ROOT RETRACTOR

- 26cm/101/2”
- With suction aspiration
- Fibre optic illumination
- 4mm tip width


NR2008S



NERVE ROOT RETRACTOR WITH SUCTION

- 31cm/12”
- 7mm tip width

NR2009S




HESS NERVE ROOT RETRACTOR

- 19cm/71/2”



	Width
NR2010S	3 mm
NR2011S	4 mm
NR2012S	5 mm
NR2013S	7 mm



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

HAND RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

MEYERDING RETRACTOR

- 22.5 cm / 9”



Blade Size

HR2221	500 mm x 16 mm
HR2222	75 mm x 25 mm
HR2223	90 mm x 50 mm

LANGENBECK RETRACTOR

- 21.5 cm / 8 1/2”



Blade Size

HR2224	22 mm x 6 mm
HR2225	45 mm x 13 mm
HR2226	65 mm x 25 mm
HR2227	90 mm x 20 mm

TAYLOR HIP RETRACTOR

- 19 cm / 7 1/2”



Depth

HR2228	70 mm
HR2229	85 mm
HR2230	100 mm

CLOWARD STYLE BLADE RETRACTOR

- 11 cm / 4 1/4”



Width

HR2231	13 mm
HR2232	18 mm
HR2233	20 mm


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

HOHMANN RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



8 mm wide blade, 8-1/2" (21.5 cm)



HR2234



18 mm wide blade, 9" (23 cm)



HR2235




22 mm wide blade, three holes, 11" (28 cm)



HR2236




43 mm wide blade, 9-1/2" (24 cm)



HR2237




43 mm wide blade, long 64 mm shank, 9" (23 cm)



HR2238



70 mm wide blade, 9-1/2" (24 cm)



HR2239


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

HOHMANN RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED




Finger ring handle, broad tip, 16 mm wide blade, 4-3/4" (12 cm)



HR2240




Broad tip, 15 mm wide blade, 6" (15 cm)



HR2241




35 mm wide blade with wide tip, long 52 mm shank, 11-1/4" (28.5 cm)



HR2242




22 mm wide blade curved 120 degrees, 16" (40.5 cm)



HR2243



40 mm wide blade curved 90 degrees, 13" (33 cm)



HR2244

MINI HOHMANN RETRACTORS





6 mm wide blade

HR2245



8 mm wide blade

HR2246

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

JANSEN CHAVI RETRACTOR




3 x 3 sharp prongs

10.5 cm / 4 1/8"



Sharp Prong

SR2001



Blunt Prong

SR2002

MISKIMON CEREBELLUM RETRACTOR

7 x 7 prongs, 35 mm deep x 32 mm high,
7-1/2" (19 cm)



SR2003

BABY WEITLANER S/R RETRACTOR

- 11.5 cm / 4 1/2”
- 2 x 3 Blunt Prongs

SR2004



MOLLISON S/R RETRACTOR - CHILD

- 13 cm / 5 1/4”
- 2 x 2 Sharp prongs 12mm depth

SR2005



MOLLISON S/R RETRACTOR - ADULT

- 17 cm / 6 3/4”
- 4 x 4 Sharp prongs 14mm depth

SR2006



JEFFERSON S/R RETRACTOR

- 15 cm / 6”, Curved
- 3 x 3 Blunt

SR2007



SELF RETAINING RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

WESTS S/R RETRACTOR

- 14 cm / 5 1/2”
- 3 x 4 Sharp Prongs

SR2008



Weitlaner S/R Retractor

- 14 cm / 5 1/2”
- 3 x 4 Blunt Prongs

SR2009

TRAVERS S/R RETRACTOR

- 20cm/8”
- 4 x 5 Blunt Prongs

SR2010



NORFOLK AND NORWICH S/R RETRACTOR

- 20cm/8”
- 4 x 5 Blunt Prongs

SR2011



MAYO-ADAMS S/R RETRACTOR

- 16.5 cm / 6 1/2”
- 2 x 2 Prongs
- 40 mm jaw depth
- 15 mm jaw width

SR2012

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SELF RETAINING RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

CONES SELF RETAINING RETRACTOR

- 3 x 4 Prongs
- Hinged Arms




	Sharp & Blunt Prongs	Length
SR2013		13 cm / 5”
SR2014		16 cm / 6 1/2”
SR2015		20 cm / 8”
SR2016		24 cm / 9 1/2”

ADSON BECKMAN RETRACTOR

- 31cm/12”
- 4 x 5 Blunt Prongs
- Hinged Arms

SR2017



32mm Deep blades


SR2012

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BECKMAN-EATON RETRACTOR

7 x 7 sharp prongs, 40 x 48 mm, 12-1/4" (31 cm)




SR2018

HORIZONTAL RETRACTOR

Primarily used to retract detached trochanter from the stump of the femoral neck. Hinged arms allow handles to be angled away from surgical site to minimize interference.

Hinged blades, 4 x 2 sharp prongs, 12-1/4" (31 cm)



SR2019

SELF RETAINING LAMINECTOMY RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

GELPI LAMINECTOMY RETRACTOR

- Sharp Prongs




Prong depth

30 mm	**SR2020**	18.5 cm / 7 1/4"
50 mm	**SR2021**	18.5 cm / 7 1/4"
70 mm	**SR2022**	18.5 cm / 7 1/4"

HARDMAN RETRACTOR

- 20 cm / 8"



Prong depth

SR2023	50mm equal prongs
SR2024	long prong - Left
SR2025	long prong - Right

MEYERDING HEMI LAMINECTOMY RETRACTOR

- 18cm/7"



Narrow Blade

Solid Blade Left	Blade Size	Solid Blade Right
SR2026	50 x 10mm	**SR2027**
SR2028	60 x 10mm	**SR2029**
SR2030	70 x 10mm	**SR2031**

Wide Blade

Solid Blade Left	Blade Size	Solid Blade Right
SR2032	50 x 10mm	**SR2033**
SR2034	60 x 10mm	**SR2035**
SR2036	70 x 10mm	**SR2037**


SELF RETAINING RETRACTORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED


LONG GELPI ORTHOPAEDIC RETRACTOR

- 30 cm / 1 13/4”
- Sharp Prongs

	Depth Prongs
SR2038	70 mm
SR2039	100 mm




VIPER SCOLIOSIS RETRACTOR




- 30 cm / 1 13/4”
- Sharp Prongs


SR2040	40 mm
SR2041	70 mm
SR2042	100 mm



40 mm prong depth



70 mm prong depth




100 mm prong depth

MICRO DISCECTOMY RETRACTOR - CERAMIC

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT



Retractor Frame

- Hinged arms
- Maximum spread 70mm
- Ceramic finish

SR2044

Retractor Frame

- Rigid arms

SR2045





Wide Muscle Blades - 6 Teeth
27 mm Width

B - 040 - 01	3 cm Depth
B - 040 - 02	4 cm Depth
B - 040 - 03	5 cm Depth
B - 040 - 04	6 cm Depth
B - 040 - 05	7 cm Depth
B - 040 - 06	8 cm Depth
B - 040 - 07	9 cm Depth
B - 040 - 08	10 cm Depth
B - 040 - 09	12 cm Depth



Hook Blades

B - 040 - 10	2 cm Depth
B - 040 - 11	3 cm Depth
B - 040 - 12	4 cm Depth
B - 040 - 13	5 cm Depth
B - 040 - 14	6 cm Depth
B - 040 - 15	7 cm Depth
B - 040 - 16	8 cm Depth
B - 040 - 17	9 cm Depth
B - 040 - 18	10 cm Depth



Narrow Muscle Blades - 4 Teeth
20 mm Width

B - 040 - 19	3 cm Depth
B - 040 - 20	4 cm Depth
B - 040 - 21	5 cm Depth
B - 040 - 22	6 cm Depth
B - 040 - 23	7 cm Depth
B - 040 - 24	8 cm Depth
B - 040 - 25	9 cm Depth
B - 040 - 26	10 cm Depth
B - 040 - 27	12 cm Depth

Also available in Titanium upon request

Quality Commitment
60+ YEARS
MANUFACTURING
SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

MCCULLOCH STYLE SPINAL HOOK/PROBE

- 23cm/9" length





Hook Tip 4mm
HO2016



Probe Ball Tip 4mm
PB2007



Probe Ball Tip 6mm
PB2008

COBBS SPINAL ELEVATOR

- 26cm/10 1/4" length



	Width
ER2041	12 mm
ER2042	19 mm

SPINAL OSTEOTOME

- 22cm/8 1/2" length



	Width
OS2027	4 mm
OS2028	6 mm

HOCKEY STICK CHISEL

- 5 mm Width
- 22 cm / 8 1/2" length



CH2001	Curved Right
CH2002	Curved Left

ELEVATOR DOUBLE ENDED

- 24 cm / 9 3/4" length

ER2043



MCCULLOCH SUCTION TUBE

- 23 cm / 9" length
- Fenestrated tip



	FG	Diameter
ST2001	6 FG	2.0 mm Ø
ST2002	7 FG	2.3 mm Ø
ST2003	9 FG	3.0 mm Ø
ST2004	12 FG	4.0 mm Ø

MCCULLOCH NERVE ROOT RETRACTOR

- 90° Angled
- 6mm tip
- 12.5cm/5" working length


NR2014



MICRO DISCECTOMY RETRACTOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT CASPAR MICRO DISCECTOMY RETRACTOR





- This Retractor Set allows a micro surgery approach to Lumbar Disc
- Specula have a black surface finish to prevent glare
- Fenetrasted blades on the specula reduce the risk of movement during surgery
- Ceramic surface finish

Lateral Blades	Depth
LB2001	40 mm
LB2002	45 mm
LB2003	50 mm
LB2004	55 mm
LB2005	60 mm
LB2006	65 mm
LB2007	70 mm

Specula	Depth
SA2001	40 mm
SA2002	45 mm
SA2003	50 mm
SA2004	55 mm
SA2005	60 mm
SA2006	65 mm
SA2007	70 mm

SR2047	Counter Retractor Frame
BE2001	Blade Ejector Forceps

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

MICRO LUMBAR DISCECTOMY RETRACTOR

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

LATERAL BLADES



LB2001 - LB2007

BLADE EJECTOR FORCEPS

BEF 001



SPECULA RANGE



SA2001 - SA2007

CASPAR MICRO DISCECTOMY RETRACTOR FRAME

SR2046



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

www.surgiments.com

MICRO BAYONET NEEDLE HOLDER

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

YASARGIL BAYONET MICRO NEEDLE HOLDER



- Flat Handled
- Delicate 1mm Jaws

With Lock	Straight	Curved
23 cm / 9"	**MN2167S**	**MN2168C**

Without Lock	Straight	Curved
23 cm / 9"	**MN2169S**	**MN2170C**

BAYONET MICRO NEEDLE HOLDER



- Round Bodied
- Delicate 1mm Jaws

With Lock	Straight	Curved
21cm / 8 1/4"	**MN2171S**	**MN2173C**
23 cm / 9"	**MN2172S**	**MN2174C**

Without Lock	Straight	Curved
21 cm / 8 1/4"	**MN2175S**	**MN2177C**
23 cm / 9"	**MN2176S**	**MN2178C**

MICRO BAYONET NEEDLE HOLDER

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

YASARGIL BAYONET MICRO FORCEPS



- Flat Handled
- Blunt 1mm Tips

22.5 cm / 8 1/4”	**MS2171S**
24 cm / 9 1/2”	**MS2180S**

YASARGIL BAYONET MICRO SCISSORS



Standard Blade



Straight

MS2181S



Curved

MS2182C

Vannas Blade



Straight

MS2183S




Curved

MS2184C

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

MINI PLATE BENDING PLIERS

For 1.5 mm and 2.0 mm plates.





Code	Description
PL2001	5-1/8" (13 cm)

SLIM NOSE WIRE TWISTERS

- 19 cm / 7 1/2”




PL2002

COMBINED WIRE CUTTER & PLIERS

- 18cm/7"
- Suitable for wires up to 1.6mm

Combination pliers and wire cutter has all the benefits of our Parallel Pliers plus a cutting jaw for K-Wires up to 0.062" (1.6 mm).





Item	Description
PL2003	Maximum capacity .062" (1.6 mm), 7" (18 cm)

WIRE EXTRACTION PLIERS MULTIPLE ACTION






- Recommended for heavy use. Multiple action joints and finely serrated carbide tips combine to provide a powerful grip on K-Wires and pins.
- 2 mm tip is ideal for removing K-Wire up to 0.62 mm from small, hard-to-reach sites.
- 4 mm and 6 mm jaws are ideal for grasping and pulling all sizes of K-Wires and pins.
- 7-1/4" (18.5 cm).

Code	Description
PL2004	2 mm delicate jaw, Tungsten Carbide
PL2005	4 mm jaw, Tungsten Carbide
PL2006	6 mm jaw, Tungsten Carbide

CRAFTSMAN PLIERS





Combination pliers and K-Wire Cutter. An economical general purpose instrument with cutting edge.

Code	Description
PL2007	Side cutting, maximum capacity .062" (1.6 mm), 8-1/2" (21.5 cm)

NEEDLE NOSED LOCKING PLIERS



		Length
PL2008	Small	18 cm / 7”
PL2009	Medium	20 cm / 8”
PL2010	Large	24 cm / 9 1/2”

- A very useful instrument for orthopaedic surgery allowing the surgeon to securely clamp on to wires and implants.

HEAVY DUTY LOCKING PLIERS

With a new, reinforced, more durable jaw.

- Heavy duty jaws lock securely onto pins.
- Reinforced jaw hinge and housing are more rigid to help prevent side to side shifting.
- Made from 300 and 400 series surgical grade stainless steel.
- Will not chip or contaminate other instrumentation.
- Adjustment screw for easy control of jaw opening.
- One-handed, quick release self-locking lever.
- Available in three sizes.



Code	Description
PL2011	Small, 7 mm wide itp, maximum opening 1” (25 mm), 6-3/4" (17 cm)
PL2012	Medium, 9 mm wide tip, maximum opening 1" (25 mm), 8" (20.5 cm)
PL2013	Large, 13 mm wide tip, maximum opening 1-1/2" (38 mm), 10" (25.5 cm)

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BOLT AND PIN CUTTER


- Max. cap 6.3mm pins
- 57cm length



BC2001	38 / 14"
BC2002	47 /18 "
BC2003	54 / 21"

MULLER-CLAUS WIRE CUTTERS

- Tungsten Carbide Jaws
- Double Action





BC2004	Suitable for soft wires up to 2mm diameter	18 cm / 7"
	Suitable for hard wires up to 1.7mm diameter	
BC2005	Suitable for soft wires up to 3mm diameter	22 cm / 8 3/4"
	Suitable for soft wires up to 2.5mm diameter	
BC2006	Suitable for plates and wires up to 2mm diameter	24 cm / 9"

SMALL PLATE BENDING PLIERS

For 2.7 mm and 3.5 mm plates.





Code	Description
PL2014	7-5/8" (19.5 cm)

PLATE BENDING PRESS



Code	Description
PR2001	13-3/4" (35 cm)

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

DEPTH GAUGE

- Measuring depth up to 50mm

MI2001



- Measuring depth up to 70mm

MI2002



DIRECT READING DEPTH GAUGE

- 23cm length
- Measuring range 0.5 to 40mm

MI2003



MEASURING CALIPER

- 25 cm / 10”

MI2004



CASTROVIEJO CALIPER

- 7 cm / 2 3/4”
- Measuring range 3mm to 25mm

MI2005



VERNIER CALIPER

- 22.5 cm / 9”
- Measuring range 15 cm

MI2006



Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

HAND DRILL AND DRILL BITS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

UNIVERSAL HAND DRILL



HD2001

This hand drill has a two-to-one gear ratio to ensure accurate drilling. The comfortable pistol grip offset handle gives the user perfect control. The chuck shaft and the entire length of the drill are cannulated. The cannulated shaft accepts Steinmann Pins, K-Wire, long shank drills and screw driver bits up to 4 mm (5/32").



A1 A2 A3 A4 A5 A6/ A7 A8 A9

Code	Description
	Drill and complete set of stainless drill bits and burrs
HD2001	Drill only, with quick coupling, chrome plated, stainless handle, 8" (20.5 cm)
A1	Drill bit, 2.5 mm
A2	Drill bit, 3.0 mm
A3	Drill bit, 3.5 mm
A4	Drill bit, 4.0 mm
A5	Round burr, 5 mm
A6	Round burr, 12 mm
A7	Round burr, 16 mm
A8	Drill bit, 1.0 mm
A9	Drill bit, 1.5 mm

HUDSON BRACE

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

HUDSON BRACE WITH BURRS



Length 24 cm

HB2001



Extension Piece

Length 12 cm / 4"

HB2002



Cushing Hudson Perforator

HB2003	9 mm
HB2004	11 mm
HB2005	14 mm



Spherical Burr

HB2006	9 mm
HB2007	11 mm
HB2008	13 mm



Conical Burr

HB2009	10 mm
HB2010	14 mm
HB2011	16 mm



Round Burr

HB2012	9 mm
HB2013	15 mm
HB2014	20 mm



Spherical Burr

HB2015	17 mm
HB2016	22 mm



Perforator Drill Burr

HB2017	13 mm
HB2018	16 mm

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

KEY HOLE SUCTION

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BLACK BELT FRAZIER SUCTION TUBE

- 17 cm / 6 3/4 "



ST8005	6 FG	2.0 mm
ST8006	7 FG	2.3 mm
ST8007	8 FG	2.7 mm
ST8008	9 FG	3.0 mm
ST8009	10 FG	3.3 mm
ST8010	11 FG	3.7 mm
ST8011	12 FG	4.0 mm

- Suction tubes supplied with ball tip stillets
- Ceramic finished for smooth uninterrupted usage

FRAZIER SUCTION TUBE

- 23 cm / 9"



ST2012	6 FG	2.0 mm
ST2013	7 FG	2.3 mm
ST2014	8 FG	2.7 mm
ST2015	9 FG	3.0 mm
ST2016	10 FG	3.3 mm
ST2017	11 FG	3.7 mm
ST2018	12 FG	4.0 mm

CONES Ventricular Needle - 14G






Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

FUKUSHIMA SUCTION TUBE - Teardrop Control



Tactile Feedback Control: The iconic teardrop-vent design offers nuanced, linear suction modulation. Eliminate vacuum surges and safeguard the delicate neuro-vascular interface with effortless fingertip precision.

Atraumatic Fluidics: A specialized conical geometry provides high-volume evacuation with zero-clog reliability, maintaining a pristine surgical field without mechanical tissue trauma.

Anatomic Adaptability: The ultra-malleable shaft allows for custom contouring, ensuring optimal visualization and reach through the most restrictive keyhole corridors.

Optimized Outcomes: Facilitates ultra-minimally invasive approaches, significantly reducing cortical exposure to accelerate recovery and enhance cosmetic results.

Cat Code	Tip Size	Working Length	Length
ST2019	1.0	4"	6 1/2"
ST2020	1.4	4"	6 1/2"
ST2021	1.7	4"	6 1/2"
ST2022	2.0	4"	6 1/2"
ST2023	2.3	4"	6 1/2"
ST2024	2.7	4"	6 1/2"
ST2025	3.0	4"	6 1/2"
ST2026	3.3	4"	6 1/2"
ST2027	4.0	4"	6 1/2"
ST2028	1.0	4 1/2"	7"
ST2029	1.4	4 1/2"	7"
ST2030	1.7	4 1/2"	7"
ST2031	2.0	4 1/2"	7"
ST2032	2.3	4 1/2"	7"
ST2033	2.7	4 1/2"	7"
ST2034	3.0	4 1/2"	7"
ST2035	3.3	4 1/2"	7"
ST2036	4.0	4 1/2"	7"

Cat Code	Tip Size	Working Length	Length
ST2037	1.0	5 1/2"	8"
ST2038	1.4	5 1/2"	8"
ST2039	1.7	5 1/2"	8"
ST2040	2.0	5 1/2"	8"
ST2041	2.3	5 1/2"	8"
ST2042	2.7	5 1/2"	8"
ST2043	3.0	5 1/2"	8"
ST2044	3.3	5 1/2"	8"
ST2045	4.0	5 1/2"	8"
ST2046	1.0	6 1/2"	9"
ST2047	1.4	6 1/2"	9"
ST2048	1.7	6 1/2"	9"
ST2049	2.0	6 1/2"	9"
ST2050	2.3	6 1/2"	9"
ST2051	2.7	6 1/2"	9"
ST2052	3.0	6 1/2"	9"
ST2053	3.3	6 1/2"	9"
ST2054	4.0	6 1/2"	9"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Wire Passing Guide

- 21cm/8¼" length



Used for passing wire around bones.



BI2001

BI2002

Bone Awl

- Straight with eye




BI2003



Code SBA 001 S

- 25cm/ 10" length
- For hexagonal head screws 2.7mm - 4.0mm







2.5mm Hex

BI2004



3.5mm Hex

BI2005

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

Guarantee & Warranty Service Certificate

This is to certify that all "SURGIMENTS" branded surgical instruments (except micro surgical instruments) are guaranteed against inherent manufacturing defects for a period of 2 years and 1 year for all Tungsten Carbide range of products provided the instruments are used for the appropriate surgical use.

Any instruments that has proved to be defective when used for it's normal surgical purpose will be repaired or replaced free of cost. We will replace or repair a damaged instrument if the damage is found to have been caused by a defect in workmanship or materials.
The guarantee does not include normal wear and tear.

This obligation is limited to servicing any instruments or part returned to the factory with pre-paid transportation charges. Guarantee will not hold good for mishandling, improper usage and unauthorized handling.

SURGIMENTS®

Contact Us

No. 30, SIDCO Industrial Estate, 3rd Phase
Hosur - 635126, Tamil Nadu, India

UAM No : TN11B0014387
GST No: 33ABQPV2534B1ZQ

Call Us

+91 9448081908
9629007070
9629006060

Skype Account : SURGIMENTS1964

Email : surgiments@gmail.com

Website : www.surgiments.com

We manufacture an exclusive range of

- ***Neuro & Spine Instruments***
- ***Micro Vascular Instruments***
- ***Cardio Thoracic Instruments***
- ***Liver Transplant Instruments***
- ***Renal Transplant Instruments***
- ***Oncology Instruments***
- ***ENT Instruments***
- ***General Surgery Instruments***
- ***Obstetrics & Gynecology Instruments***
- ***Orthopaedics Instruments***
- ***Plastic Surgery Instruments***
- ***Oral Maxillo Facial Instruments***
- ***Podiatry & Cosmetic Surgery***

We specialise in

- ***Surgical Spider Table Mount Abdominal Self Retaining Retractor such as***
  - **** Thompson style Retractor***
  - **** Omni tract style Retractor***
  - **** Bookwalter style Retractor***
  - **** Nathanson Liver Retractor***
  - **** Nathanson style Liver Endoscopic Retractor***
- ***Leyla Retractor Self Retaining Brain Retractor***

Certifications:

ISO 9001 | ISO 13485 | ISO 7153-1:2016

CE for Micro Instruments

Licenses:

MSME — MICRO, SMALL & MEDIUM ENTERPRISES सूक्ष्म, लघु एवं मध्यम उद्यम

स्वच्छ भारत — एक कदम स्वच्छता की ओर

UDYAM REGISTERED - UDYAM-TN-11-0001406

भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

CENTRAL DRUGS STANDARD CONTROL ORGANISATION — CDSCO — MINISTRY OF HEALTH, GOVERNMENT OF INDIA

Trade Mark No. 2766611 ***SURGIM-Krish-TN/M/MD/013840***

SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

Address: N 30, SIDCO Industrial Estate, 3rd Phase, Hosur, Tamil Nadu - 635 126, India

Email: info@surgiments.com, sales@surgiments.com Website: www.surgiments.com

Helpline: +91 96290 6060, +91 96290 07070, +91 94480 81908